

Ice Age Information Sheets

Grass

Producer



Columbian Mammoth

Consumer, Herbivore

Fed on grasses and shrubs

Maximum height at shoulder: 14 feet



Giant Ground Sloth

Consumer, Herbivore

Fed on grass, yucca, roots and tubers

Three large claws used for digging and defense



Camelops

Consumer, Herbivore

Fed on grass and saltbush

May not have been adapted to conserve water as well as the modern day camel




Dire Wolf

Consumer, Carnivore

Fed on horses, sloths, camels and bison

Probably hunted in packs



Saber-Tooth Cat


Consumer, Carnivore

Fed on young mammoths, sloths, horses and camels

4 inch long serrated incisors



Ice Age Food Web



Troglobitic Info Sheets

Detritus

Dead organic material brought in from outside

Base of Food Web



Mite

Feeds on organic matter

When in large numbers, eat Spiders
(and possibly other larger Arthropods)



Springtail

Feeds on organic matter and Mites



Cricket

Feeds on organic matter

Troglophile, not totally adapted to the cave environment



Spider

Feeds on Mites, Springtails, Harvestmen, Beetles, and Cricket eggs



Pseudoscorpion

Feeds on Mites, Springtails, Cricket eggs, and Beetle larvae




Beetle

Feeds on Pseudoscorpions, Cricket eggs, Millipedes, and Spiders



Troglobitic Food Web



*Pictures not to scale.